

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office: JAN 24 1974
 Returned to applicant for correction: MAR 1 1974
 Corrected application filed: APR 24 1974
 Map filed: Oct. 17, 1963 under 21393

The applicant Round Hill General Improvement District
 of P. O. Box 976, Zephyr Cove, County of _____,
 State of Nevada 89448, hereby make application for permission to appropriate the public
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
 tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Lake Tahoe
Name of stream, lake or other source.
2. The amount of water applied for is 1.0 second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet _____ acre-feet
3. The water to be used for Municipal and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated) _____
 - (b) Stockwater (state number and kinds of animals to be watered) _____
 - (c) Other use (describe fully under "No. 12. Remarks") Municipal and Domestic
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____
5. The water is to be diverted from its source at the following point: Lot 3 (extended) Section 15,
T.13N., R.18E., M.D.M., or at a point from which the SW corner of
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
said Section 15 bears S. 6° 25' W. a distance of 2,325 feet.
it should be stated.
6. Place of use Within portions of Section 10, 15 and 16 all in T.13N.,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
R.18E., M.D.M.
7. Use will begin about January 1 and end about December 31, of each year.
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
 specifications of your diversion or storage works.) Works completed. Intake pipeline
offshore in Lake Tahoe, pump house constructed with discharge line
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
to storage tank and distribution system.

9. Estimated cost of works..... Completed cost at least \$10,000.00
10. Estimated time required to construct works..... Completed.
11. Estimated time required to complete the application to beneficial use..... 5 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water under this application to be comingled with other permits held by the Round Hill General Improvement District to provide water service as a public utility within the District boundaries. The water is for municipal use within our service area, there is no possible way to foresee the future development of this area. We now have 60 units under construction with at least 84 more units due to begin mid-1974 in one development only. In our subdivision there are some approximately 130 lots that are now undeveloped, in addition to several hundred acres that Applicant Round Hill General Improvement District is developable in high density areas. Please use the map under permit #21393 to support #28038.

By..... s/Carol D. Mast
Carol D. Mast, Secretary/Agent
P. O. Box 976
Zephyr Cove, Nevada 89448

Compared..... cm: lk

bc/bl

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the 1.0 c.f.s., and not to exceed 51.595 million gallons annually herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to a beneficial use. A totalizing meter must be installed in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to a beneficial use. This permit is subject to the final allocation of the State of Nevada under the California-Nevada Interstate Compact Commission. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under Permit 28038 and Permit 21393 (Certificate 8265) shall not exceed 99.189 million gallons annually.

The water allowed by the issuance of this permit is limited to use on the following described lots and Buildings: Villager Townhouses 15 equivalent residential units. Pinewild Townhouses 135 equivalent residential units. McFaul Way Townhouses 2 equivalent residential units. Round Hill Village Unit #1: Lot 7, Lot 11, Lot 13, Lot 16. Round Hill Village Unit #2: Lot 1, Block A; Lot 2, Block A; Lot 3, Block A; Lot 4, Block A; Lot 5, Block A; Lot 9, Block A; Lot 12, Block A; Lot 14, Block A; Lot 15, Block A; Lot 19, Block A; Lot 22, Block A; Lot 27, Block A; Lot 29, Block A; Lot 31, Block A; Lot 32, Block A; Lot 34, Block A; Lot 35, Block A; Lot 36, Block A; Lot 37, Block A; Lot 40, Block A; Lot 41, Block A; Lot 43, Block A; Lot 44, Block A; Lot 46, Block A; Lot 50, Block A; Lot 1, Block B; Lot 2, Block B. (CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 51.595 million gallons annually.

Actual construction work shall begin on or before..... N/A

Proof of commencement of work shall be filed before..... N/A

Work must be prosecuted with reasonable diligence and be completed on or before..... June 25, 1985

Proof of completion of work shall be filed before..... July 25, 1985

Application of water to beneficial use shall be made on or before..... June 25, 1987


Proof of the application of water to beneficial use shall be filed on or before..... July 25, 1987

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....
Completion of work filed..... AUG 09 1985
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No..... Issued.....
Recorded..... Bk..... Page.....
County Recorder

IN TESTIMONY WHEREOF, I, PETER G. MORROS,
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 25th day of JUNE

A.D. 1984


State Engineer

Permit Terms (Continued)

Round Hill Village Unit #3: Lot 1, Block A; Lot 5, Block A; Lot 7, Block A; Lot 9, Block A; Lot 10, Block A; Lot 11, Block A; Lot 12, Block A; Lot 13, Block A; Lot 16, Block A; Lot 18, Block A; Lot 21, Block A; Lot 22, Block A; Lot 23, Block A; Lot 25, Block A; Lot 1, Block B; Lot 4, Block B; Lot 6, Block B; Lot 8, Block B; Lot 9, Block B; Lot 10, Block B; Lot 11, Block B; Lot 13, Block B; Lot 14, Block B; Lot 16, Block B; Lot 17, Block B; Lot 20, Block B; Lot 21, Block B; Lot 23, Block B; Lot 25, Block B; Lot 29, Block B; Lot 31, Block B; Lot 34, Block B; Lot 35, Block B; Lot 37, Block B; Lot 38, Block B; Lot 40, Block B; Lot 2, Block C; Lot 3, Block C; Lot 4, Block C; Lot 9, Block C; Lot 2, Block D; Lot 3, Block D. Round Hill Village Unit #4: Lot 1, Block A; Lot 2, Block A; Lot 3, Block A; Lot 2, Block B; Lot 11, Block B; Lot 14, Block B; Lot 15, Block B; Lot 16, Block B; Lot 18, Block B; Lot 21, Block B; Lot 22, Block B; Lot 24, Block B; Lot 25, Block B; Lot 33, Block B; Lot 34, Block B; Lot 36, Block B; Lot 3, Block C; Lot 6, Block C; Lot 7, Block C; Lot 8, Block C; Lot 9, Block C; Lot 10, Block C; Lot 11, Block C; Lot 12, Block C; Lot 14, Block C; Lot 17, Block C; Lot 19, Block C; Lot 3, Block D; Lot 5, Block D; Lot 6, Block D; Lot 10, Block D; Lot 12, Block D; Lot 13, Block D; Lot 14, Block D; Lot 18, Block D; Lot 2, Block F; Lot 3, Block F; Lot 4, Block F; Lot 5, Block F; Lot 6, Block F; Lot 7, Block F; Lot 8, Block F; Lot 9, Block F; Lot 11, Block F; Lot 13, Block F; Lot 14, Block F; Lot at 340 Ute Way. Commercial Structures: Dayton Building; Elk Point Laundry; First Federal Savings; Gill Professional Building; Page Building; Round Hill Hardware; Chazan Building.

The amount of water granted under Permit 28038 is based on information submitted to the State Engineer's office by Round Hill General Improvement District representing use by number and type of units served by said District.

No water right shall be sold or transferred away from the service area of Round Hill General Improvement District without the prior written consent and approval of the State Engineer.

Should action by the Tahoe Regional Planning Agency or any other event eliminate or reduce the requirement of Round Hill General Improvement District to provide water service to the properties within its service area, the State Engineer may reduce the amount of water or cancel Permit 28038 consistent with this action. The State Engineer shall provide written notice to Round Hill General Improvement District or any successor in interest of intent to reduce the amount of water granted therein or intent to cancel Permit 28038. Round Hill General Improvement District or any successor in interest shall then have 30 days from the date of said notice to request a public hearing before the State Engineer for the purpose of presenting any additional information, evidence or testimony prior to action by the State Engineer.

